

# Transforming Surfaces

Creating Dreams



# The Journey Of KRISHNA CHEMICALS

Since 2008

Krishna Chemicals was established in the year 2008 under the stewardship of Surendar Agarwal. His vision for quality Surface Coatings along with his ambition, commitment & hard work towards his vision has made the Brands Goodshine & Krista well established names in the market today.

An ISO 9001:2015 certified company Krishna Chemicals is a leading manufacturer, wholesaler and exporter of PU Wood Coatings, Polyester Coatings, Stains, PU Metal Coatings, PU Glass Coatings, Melamine, NC, Wood Filler and more.

From a humble beginning in 2008 the journey of Krishna Chemicals has been long but a rewarding one. Initially catering to just the Kirti Nagar Furniture Market from a small establishment in Delhi to a Sixty Thousand Sq. Ft. production facility with close to 75 employees in Sonipat, the industrial city of Haryana, it produces over 200 different products today. Going forward to fulfill the growing demand of the customers the factory will soon have a new address with state of the art production facility, latest technology and machines, fully equipped with a world class Quality Testing and R&D center in a 5000 Sq. Yard area.

All Goodshine & Krista products are manufactured under strict quality checks at all production stages using the best and superior compounds procured from the most trust worthy vendors of the industry. Our professionally managed production lines manned by highly qualified, skilled and trained production staff ensure that products manufactured are in compliance with the universally accepted norms of quality.

Goodshine & Krista products are currently available in over 20 states & UT's across India. A network of over 600 plus distributors & direct dealers besides retailers ensure that the products are available at all leading counters. A well trained sales team of over 50 people ensures that customers are serviced efficiently and effectively in line with one of our core value "CUSTOMER" the key to Krishna Chemicals success.





SIRF **Shine** NAHI, BHAROSA BHI

# ULTRA PU

## BASE COAT

PU Sealer

## TOP COAT


Clear Coat  
White Coat  
Pigmented Coat

## FINISHES AVAILABLE

Gloss | Semi Gloss | Semi Matt | Matt | Dead Matt

1 Ltr | 4 Ltr | 20 Ltr

- METHOD OF APPLICATION: SPRAY
- PRODUCT TYPE: 2K PU
- MIXING RATIO: 4:1 BY VOL. / WEIGHT
- DILUTION : KC GOODSHINE PU THINNER/UNIVERSAL THINNER (30%-40% BY VOL.)
- DRYING TIME: SURFACE DRY 30 - 60 MINUTES
- RECOAT TIME: AT AN INTERVAL OF 6-12 HOURS
- COATING SYSTEM: 2-3 COATS AS REQUIRED



# PU COATINGS

## BASE COAT

PU Sealer

## TOP COAT

Clear Coat  
White Coat  
Pigmented Coat

## FINISHES AVAILABLE

Gloss | Semi Gloss | Semi Matt | Matt | Dead Matt

1 Ltr | 4 Ltr | 20 Ltr

- METHOD OF APPLICATION: SPRAY
- PRODUCT TYPE: 2K PU
- MIXING RATIO: 4:1 BY VOL. / WEIGHT
- DILUTION : KC GOODSHINE PU THINNER/UNIVERSAL THINNER (30%-40% BY VOL.)
- DRYING TIME: SURFACE DRY 30 - 60 MINUTES
- RECOAT TIME: AT AN INTERVAL OF 6-12 HOURS
- COATING SYSTEM: 2-3 COATS AS REQUIRED



# EPOXY

## BASE COAT


Insulator for Wood  
Metal Grey Primer

## TOP COAT

Pigmented Gloss for Metal  
Pigmented Matt for Metal

1 Ltr | 4 Ltr | 20 Ltr

- METHOD OF APPLICATION : SPRAY
- PRODUCT TYPE: 2 K EPOXY
- MIXING RATIO : 1:1 / 4:1  
VOL/WEIGHT
- DILUTION: KC GOODSHINE EPOXY  
THINNER (30% - 40% BY VOL)
- DRYING TIME: SURFACE DRY 1  
HOUR
- RECOAT TIME : 10 - 12 HOURS
- COATING SYSTEM: 2-3 COATS AS  
REQUIRED



# MELAMINE COATINGS

## BASE COAT

Melamine Sealer

## TOP COAT

Melamine Clear Coatings  
Melamine Pigmented Coatings

## FINISHES AVAILABLE

Gloss | Semi Matt | Matt | Dead Matt

## AVAILABLE IN DIFFERENT VARIANTS

NORMAL | GOLD | DIAMOND |  
ULTRA

1 Ltr | 4 Ltr | 20 Ltr

- PRODUCT TYPE : 2K MELAMINE
- MIXING RATIO: 9:1 VOL/WEIGHT
- DILUTION : KC GOODSHINE  
MELAMINE THINNER
- DRYING TIME: SURFACE DRY (30-  
60 MINS)
- RECOAT TIME : 5-6 HOURS
- COATING SYSTEM : 2-3 COATS AS  
REQUIRED
- SHADE : TRANSPARENT &  
PIGMENTED



# WOOD COATINGS

## BASE COAT

Sanding Sealer  
Brown Sealer

## TOP COAT

T.T. Clear (Matt/Gloss)  
Super Clear  
Touch Shine

1 Ltr | 4 Ltr | 20 Ltr

- METHOD OF APPLICATION :  
SPRAY, POLISH CLOTH
- PRODUCT TYPE: NC
- DILUTION: KC GOODSHINE NC  
THINNER (30% - 40% BY VOL)
- DRYING TIME: SURFACE DRY 1  
HOUR
- RECOAT TIME : 10 - 12 HOURS
- COATING SYSTEM: 2-3 COATS AS  
REQUIRED



# NC METTALICS

**METTALIC GOLD**

**METTALIC SILVER**

**METTALIC BLUE**

**PEARL WHITE**

**BRONZE**

**COPPER**

**SAPPHIRE**

**SPECIAL PURPLE**

(and many more)



# NC PAINTS

## BASE COAT

LPS White / Dark Brown  
LPS White FD (Fast Drying)  
LPS Grey

## TOP COAT

Gloss  
Matt  
(Available in Multiple Shades/Colors)

1 Ltr | 4 Ltr | 20 Ltr

- METHOD OF APPLICATION :  
SPRAY
- DILUTION: KC GOODSHINE  
EPOXY THINNER (70% +)
- DRYING TIME: SURFACE DRY 1  
HOUR
- RECOAT TIME : 10 - 12 HOURS
- COATING SYSTEM: 2-3 COATS AS  
REQUIRED



# THINNERS & COATINGS

**Universal Thinner**

**Melamine Thinner**

**NC Thinner**

**PU Thinner**

**Epoxy Thinner**

**Paint Remover**

**Wood Fillers**

(Walnut, Teak & White )

**Wood Polish**

**Wood Stains**

**NC Putty**



# KC goodShine®



## KRISHNA CHEMICALS

Corporate Office: C-9/15, Sector-7,  
Rohini, Delhi-110085

factory: Village Nathupur, Tehsil Rai,  
Dist. Sonapat, Haryana 131029

Phone: +91-9717143939  
Email: [inquiry@goodshine.in](mailto:inquiry@goodshine.in)  
Website: [www.goodshine.in](http://www.goodshine.in)

